


UNRAVEL
ENDLESS
POSSIBILITIES

new
style

120x
278cm 6mm
THICKNESS



ABOUT US

Varmora Granito Pvt. Ltd. is a flagship company of the Varmora Group and a leading manufacturer of high-quality ceramic tiles, bath and sanitary products, and other building materials. Established in 1994, Varmora Granito has grown to become one of the largest manufacturers in the industry, with in-house production capacity of 35 msm per annum. With a focus on innovation, sustainability, and customer satisfaction, Varmora Granito is committed to providing its customers with the best products and services worldwide. Varmora now boasts 317 exclusive brand outlets (EBOs) and 2,000+ multi-brand outlets (MBOs) in their network. Whether you're looking for stylish tiles, durable bath and sanitary products, or other building materials, Varmora Granito has you covered.

To know more about Varmora Granito visit www.varmora.com





ABOUT THE TECHNOLOGY

Discover the remarkable combination of traditional craftsmanship with the latest technology. We at Varmora strive for advancement in the ceramic world by infusing modern techniques and technology to craft impeccable and unique textures, designs, and layouts. The meticulously crafted tiles undergo a superior transition with the help of technology, showcasing versatile effects. Above all, vivid techniques are opted that add high aesthetic value to the tiles and through advanced machinery, the tiles are moulded and given a definite shape to blend with the decor style of spaces seamlessly.


TRANSFORMING
WALLS WITH
BREATHTAKING
DIMENSION

120x
278cm

6mm
THICKNESS
↓
FLEXIBLE



INDEX



**HIGH GLOSS
COLLECTION**



**ROCKER
COLLECTION**

REDEFINING SPACES WITH TWO MAGNIFICENT COLLECTIONS





HIGH GLOSS COLLECTION

Experience the beauty of a reflective mirror.

FEATURES



ZERO
MAINTENANCE



DIGITAL
PRINTING



IMPORTED SUPER
GLAZE



RANDOM
DESIGN




LOW WATER
ABSORPTION



ECO
FRIENDLY



HIGH REFLECTION
GLAZE






HIGH GLOSS COLLECTION



INNO SLAB | Finish: High Gloss



VARMORA
TILES • BATHWARE



STATUARIO SUPER


* Touch the QR to unlock 360° view.



HIGH GLOSS COLLECTION



INNO SLAB | Finish: High Gloss




CARRARA PEARL



HIGH GLOSS COLLECTION



INNO SLAB I Finish: High Gloss




STATUARIO CASTROK



HIGH GLOSS COLLECTION



INNO SLAB | Finish: High Gloss



ONYX WHITE



HIGH GLOSS COLLECTION



INNO SLAB | Finish: High Gloss



LINOVA



HIGH GLOSS COLLECTION



INNO SLAB | Finish: High Gloss



SILVER RIVER NATURAL

VARMORA
TILES • BATHWARE

* Touch the QR to unlock 360° view.



HIGH GLOSS COLLECTION



VARMORA
TILES • BATHWARE

INNO SLAB | Finish: High Gloss



MAXO GREY

* Touch the QR to unlock 360° view.



HIGH GLOSS COLLECTION



INNO SLAB | Finish: High Gloss



MARQUINA NERO



ROCKER COLLECTION

Feel the touch of contemporary elegance.

FEATURES



ZERO
MAINTENANCE



ABRASION
RESISTANCE



DIGITAL
PRINTING



RANDOM



DOES NOT
ABSORB LIQUIDS



IMPORTED SUPER
GLAZE



ECO
FRIENDLY



ANTI-SKID





ROCKER COLLECTION



INNO SLAB | Finish: Rocker



MORTAR GREY



ROCKER COLLECTION



INNO SLAB | Finish: Rocker



MORTAR STEEL



ROCKER COLLECTION



INNO SLAB | Finish: Rocker



MORTAR RUST



ROCKER COLLECTION



INNO SLAB | Finish: Rocker



MORTAR NERO



ROCKER COLLECTION



INNO SLAB | Finish: Rocker



SILVER RIVER CLASSIC

TECHNICAL SPECIFICATION

SR. NO.	CHARACTERISTIC	TEST METHOD	IS 15622 :2017 (GROUP B I a)	VARMORA VALUE
A	DIMENSION & SURFACE QUALITY			
1	Deviation in Length & Width	IS - 13630 - 1	± 0.10%	± 0.10%
2	Deviation in Thickness	IS - 13630 - 1	± 5.00%	± 3.50%
3	Straightness of sides	IS - 13630 - 1	± 0.10%	± 0.10%
4	Rectangularity	IS - 13630 - 1	± 0.10%	± 0.10%
5	Surface Flatness	IS - 13630 - 1	± 0.50%	± 0.20%
6	Surface Quality	IS - 13630 - 1	Minimum 95 % of tiles shall be free from visible defects	95%
B	PHYSICAL PROPERTIES			
1	Water Absorption	IS - 13630 - 2	≤0.08%, Avg.	0.06%, Avg.
2	Modulus of Rapture(N/mm ²)	IS - 13630 - 6	Avg. 35 N/mm ²	Avg. 40 N/mm ²
3	Breaking Strength (N)	IS - 13630 - 6		
4	Moisture Expansion (mm/m)	IS - 13630 - 3	0.02 Max.	0.01 Max.
5	Scratch Hardness of Surface (Mohr Scale)	IS - 13630 - 13	5, Min	5, Min*
6	Resistance of Surface Abrasion (Glazed tiles)	IS - 13630 - 11	Class II, Min.	Class IV
7	Co-efficient of linear thermal expansion	IS - 13630 - 4	6x10 ⁻⁶ , Max	6x10 ⁻⁶ , Max
8	Thermal Shock Resistance	IS - 13630 - 5	10 Cycles, Min	10 Cycles, Pass
9	Crazing Resistance	IS - 13630 - 9	4 Cycles at 7.5 Bar, Min	4 Cycles, Pass
10	Impact Resistance- Coefficient of Restitution	IS - 13630 - 14	0.55, Min	0.55, Min
11	Coefficient of Friction	-	Manufacturer Norms	Manufacturer Norms
12	Frost Resistance	IS - 13630 - 10	Manufacturer Norms	No Damage
13	Resistance to Deep Abrasion for Unglazed Tiles (mm ²)	IS - 13630 - 12	140,Max	140,Max
14	Bulk Density (g/cc)	IS - 13630 - 2	2.2, Min	2.3, Min
C	CHEMICAL PROPERTIES			
1	Resistance to Staining	IS - 13630 - 8	Glaze - Class 1, Min Unglaze - Class 2, Min	Glaze & Unglaze - Class 2, Min
2	Resistance to Household Chemicals	IS - 13630 - 8	Glaze - Class AA, Min Unglaze - Required If agreed according to chemical resistance class indicated by manufacturer	Class AA
3	Resistance to Acids & Alkalis	IS - 13630 - 8	Glaze & Unglaze - Required If agreed according to chemical resistance class indicated by manufacturer	Resistance

VARMORA Values given above are best valued, Which we tries to maintain, how ever test results may differ up to the limit prescribed under IS 15622 :2017 (GROUP B I a) * Minimum 5 On matt tiles.

Note: Colour shown are as per the color chart of the printing process used below. Prospective customers are advised to inspect a sample of the tile before ordering. For effort has been made to ensure the accuracy of the information given. However, the company reserve the right to change the specifications without prior notice. Some time variation in shade or size being inherent to ceramic industry may occur. Before fixing, we advise you to follow the fixing instructions on the surface (back) of the tile. No responsibility will be accepted by the company, since the tile, have been fixed.



VARMORA

TILES • BATHWARE

HEAD OFFICE

8/A National Highway, At. Dhuva, Tal. Wankaner, Morbi-363621, Gujarat, India

Tiles Contact:

Mob.: +91 98252 23068

E-mail: marketing@varmora.com

Bathware Contact:

Mob.: +91 90999 13129

E-mail: marketing@varmorasanitaryware.com

Mob.: +91 99139 23095

E-mail: customercare.faucets@varmora.com

Mob.: +91 90990 01734

E-mail: customercare.bathware@varmora.com

Mob.: +91 90990 01734

E-mail: customercare.sink@varmora.com

CORPORATE OFFICE

Varmora Granito Pvt. Ltd.
1004/5/6 South Tower, ONE42
Off Bopal-Ambli Road
Ahmedabad-380054, Gujarat, INDIA

REGIONAL OFFICE

A-54, 1st Floor, Elite Auto House
Mathuradas Vasanji Road, Andheri - Kurla Road
Andheri (East) Mumbai 400 093
Tel.: +91-22-4973 9179, Fax: +91-22-2838 9794
E-mail: mumbai@varmora.com

Tiles Customer Care:

1800 212 0053

Bathware Customer Care

1800 212 4525

Follow us:

