



VARMORA 
TILES • BATHWARE



INTEGRATED
STONE
TECHNOLOGY



EST 1994



THE HISTORY OF DEDICATION, INNOVATION, AND COMMITMENT

Varmora has consistently led the ceramic and bathware industry, pushing boundaries with groundbreaking innovations. Over the years, Varmora has introduced numerous firsts, shaping the future of Innovation and Design.

2007: The journey began with the introduction of the first full-body 120x180 cm slab, a significant leap in tile technology. This innovation set the stage for larger, more durable tiles, becoming the cornerstone of modern tiling solutions.

2009: Varmora launched the first digitally printed wall tiles, revolutionising tile aesthetics. This innovation enabled intricate designs and patterns to be embedded into tiles, opening endless possibilities for interior design.


2011/2012: The introduction of the first double-charged 80x80 cm and 60x120 cm tiles enhanced durability and visual appeal, making them the preferred choice for residential and commercial spaces.

2017: Continuing their streak of innovation, Varmora introduced High Gloss and Rocker Surface innovations for GVT (Glazed Vitrified Tiles) in India. This surface technology added a new dimension to tile finishes, offering a blend of gloss and texture that appealed to a wide range of design sensibilities.

2019/2020: Pioneering 80x260 cm kitchen slabs, Varmora expanded possibilities for seamless kitchen designs. These large slabs minimised joints, achieving a refined and elegant finish.

2024: Varmora introduces "Integrated Stone Technology" Asia's first Unique 5 feeder technology with passing-through veins. This breakthrough allows veins to run through the entire tile thickness, achieving a natural stone-like appearance that is visually stunning and exceptionally durable.

Varmora's milestones reflect its commitment to innovation, continuously setting new benchmarks in the tile industry. Each achievement embodies its mission to deliver exceptional quality and design, cementing its position as a leader in tile technology.



TO CREATORS

TO ARTISTS

TO DESIGN LOVERS

TO PERFECTIONISTS

TO INNOVATORS

**TO EVERYONE WHO MAKE
OUR DREAMS COME TRUE!**

**WELCOME TO
THE NEW ERA OF
INTEGRATED STONE TECHNOLOGY**

**WELCOME TO THE NEW ERA OF
INTEGRATED STONE TECHNOLOGY.**

**POWERED BY SUPERIOR VISION, THOUGHTS,
& CREATIVITY.**

**TO TRANSFORM YOUR INTERIORS AND MAKE YOU
FALL IN LOVE WITH YOUR SPACES.**

TO MAKE YOU FALL IN LOVE WITH YOUR HOME.

**TO AWAKEN YOUR EXCITEMENT
TOWARDS ART & DESIGN.**

TO CREATE A SUSTAINABLE FUTURE TOGETHER.

A NEW YOU. A NEW US.

INTEGRATED
STONE
TECHNOLOGY


GAME CHANGER IN
EVERY WAY AND
EVERY SENSE





WHY INTEGRATED STONE TECHNOLOGY IS A GAME CHANGER?

INTEGRATED STONE TECHNOLOGY transforms original, innovative designs into tangible realities. It enhances spaces with a seamless blend of beauty and functionality, offering versatile shapes and sizes that prioritise practicality, aesthetic appeal, and ease of maintenance. The **INTEGRATED STONE** finish authentically replicates the **natural variations found in variety of stones**, capturing the interplay between **horizontal slab surfaces and their edges**, where the veining **patterns shift organically** to create unique and dynamic visual effects.



- With INTEGRATED STONE, the veining is perfectly **continuous**, extending seamlessly from the flat surface through to the depth of the perimeter edge.
- This is achieved through an **exclusive, innovative production process and sophisticated crafting technologies**.
- INTEGRATED STONE is an **exclusive VARMORA technology, unique in the market**.
- This is made possible by **VARMORA'S exclusive and innovative** production process, utilising advanced crafting technologies to create a technology that is unparalleled in the market.



AN ADAPTATION OF NATURE'S FINEST ELEMENTS.


The INTEGRATED STONE TECHNOLOGY embodies a masterful adaptation of nature's finest elements, replicating the timeless beauty of marble, granite, terrazzo, and more.

Nature has always been the ultimate inspiration for design, and Varmora's latest innovation reflects this beautifully. With INTEGRATED STONE TECHNOLOGY, **we have recreated the stunning beauty of natural marble and stone while preserving the Earth's resources.** Our product looks and feels just like natural materials but is made using **sustainable methods that are kinder to the planet.** The result is a product that offers the same luxurious appearance as natural marble, without harming the environment. With INTEGRATED STONE, you can create spaces that are not only beautiful but also mindful of our planet. This is luxury redefined, with deep respect for the world we live in.

HIGHLY POROUS NATURAL MATERIALS

VS

HIGHLY NON-POROUS INTEGRATED STONE



Resistant To Stains

Unlike most other natural materials, INTEGRATED STONE is highly resistant to staining due to its non-porous, dense structure that actively repels liquids. This prevents penetration and protects against any form of damage, whether from wine, coffee, or other potential stains. Its robust surface acts as a strong barrier, keeping all stains at bay and ensuring long-lasting durability and cleanliness.



Resistant To Water, Ice & Thermic Changes

INTEGRATED STONE is highly resistant to moisture, making it an ideal choice for damp environments such as bathrooms, kitchens, balconies, porches, patios, driveways, bathtubs, and swimming pools. Its durability ensures that even in extremely low temperatures, it will not crack or deteriorate. This material remains stable against temperature fluctuations, resisting bending or breakage, because of its strength, INTEGRATED STONE is also well-suited for outdoor applications, including building exteriors and ventilated facades, where it can endure harsh weather conditions without damage.



Resistant To Frost & Heat


INTEGRATED STONE is free of any plastic or organic compounds and exhibits inert behaviour under elevated temperatures. It is intrinsically non-combustible and non-flammable, resistant to damage from burning cigarettes, embers, hot liquids, or open flames. The material's non-flammability ensures that it does not ignite, produce smoke, or release toxic fumes in the event of a fire, thereby reducing the spread of flames and enhancing both evacuation safety and firefighting efforts.



HIGHLY POROUS NATURAL MATERIALS

VS

HIGHLY NON-POROUS INTEGRATED STONE



Zero Bacterial Risk

INTEGRATED STONE is impervious to bacteria, fungi, mould, and other contaminants, making it ideally suited for environments demanding the highest standards of hygiene.




Compatible for food contact

INTEGRATED STONE is designed with food safety in mind, making it fully suitable for direct food contact. Its durable and easy-to-maintain surface ensures it withstands the rigorous demands of both home kitchens and professional restaurant settings.



INTEGRATED STONE TOUGHER THAN NATURAL STONES.



Resistant To Scratches

The inherent hardness of INTEGRATED STONE imparts exceptional resistance to abrasion and routine wear. This robustness makes it ideal for environments subject to frequent use, including kitchen countertops, bathrooms, and exterior applications. Its superior durability ensures sustained performance and aesthetic appeal in both high-traffic and outdoor settings.



Resistant To Abrasion

INTEGRATED STONE exhibits superior abrasion resistance compared to granite, making it an excellent choice for commercial applications and high-traffic areas. Unlike other surfaces that may show signs of wear over time, INTEGRATED STONE maintains its finish throughout the product's lifespan. It requires no resurfacing or refinishing, ensuring lasting durability and a consistently pristine appearance.




Advanced Mechanical Strength

With more than five times the flexural strength of granite, INTEGRATED STONE sets a new standard for durability and versatility. Its advanced mechanical strength allows for thinner slabs to cover larger spans without compromising stability. This makes it an excellent choice for a variety of applications, including worktops, islands, and bar tops.



COLOUR CONSISTENCY OF INTEGRATED STONE IS MUCH BETTER COMPARED TO NATURAL MATERIALS.




 **Resistant to UV Rays**

INTEGRATED STONE does not fade or change colour even when permanently exposed to direct sunlight or polluting atmospheric agents. Thus, it is particularly suitable for outdoor applications.

 **Stability towards colour fading**

The manufacturing process used to make INTEGRATED STONE allows us to control the pigmentation and decoration of the material giving better colour consistency from slab to slab and resulting, in a long, lasting product that will not fade over time. The surface you install today will maintain the same new appearance for the life of the product.

**INTEGRATED STONE IS
THE BEST
ENGINEERING PRODUCT
EVER MADE.**



Quartz

Artificial Appearance

Quartz often looks too uniform, lacking the natural variation of real stone, giving it an artificial feel. In contrast, INTEGRATED STONE offers unique patterns, textures, and imperfections, giving it a more organic and authentic look. Its natural veining and variations create depth and warmth, making it feel more genuine and timeless compared to the synthetic feel of quartz.

Health Issue

Quartz can produce harmful silica dust during fabrication, posing serious health risks such as silicosis and lung cancer to workers. On the other hand, the INTEGRATED STONE is much safer to handle, with reduced risks, making it a healthier option not only for workers during the fabrication process but also for users who prioritise safety & well-being.

Terrazzo

Thermal Expansion


Terrazzo can crack if the underlying substrate is not perfectly stable or if there are changes in the temperature whereas nothing of this sort happened in INTEGRATED STONE due to its ability to remain stable under high temperatures.

Corian

Colour Fading

INTEGRATED STONE offers superior Colour stability compared to Corian. While Corian can fade over time, especially when exposed to UV light, INTEGRATED STONE is designed to resist Colour fading even in outdoor settings or under prolonged sunlight, maintaining its vibrant look for much longer.

THE FIRST INVISIBLE INDUCTION SURFACE IN INDIA




INDUCTION TECHNOLOGY

INTEGRATED STONE enables the creation of a cutting-edge kitchen that supports advanced invisible induction technology, allowing for direct cooking on the countertop. By embedding this system into the countertop or kitchen island, the technology delivers a seamless and functional surface, optimizing both aesthetics and utility. The INTEGRATED induction system ensures easy maintenance, while the absence of direct heat transfer enhances safety, making the surface safe to touch even when not in use for cooking. This innovative solution transforms the kitchen into a multi-functional, high-performance space.



**ANY KIND OF PROCESS
ON A SURFACE IS NOW
MADE POSSIBLE!**



With the introduction of advanced surface technology, we have expanded the design possibilities of our INTEGRATED STONE. Our INTEGRATED STONE Technology now supports a wide range of surface processes, including sandblasting, shot blasting, engraving, and grooving. These techniques, combined with the precision of our engineered materials create intricate textures and finishes that replicate the natural beauty of stone while delivering unmatched consistency and versatility.

This innovation empowers designers and architects to explore endless creative possibilities, from subtle textures to bold artistic expressions, all while ensuring the durability and performance of engineered surfaces. It is the perfect fusion of natural aesthetics and advanced craftsmanship.



EDGE FINISHES

TRANSFORM YOUR SHAPE

CHAMFERED
EDGE



DOUBLE
CHAMFERED
EDGE



STRAIGHT
SHARK
NOSE



ROUND
CHAMFERED
EDGE




DOUBLE
ROUND
CHAMFER




ROUNDED
SHARK
NOSE



BUILT-UP
PENCIL
EDGE




BUILT-UP
STRAIGHT
CHAMFER



BUILT-UP
PENCIL
EDGE




Fulfil the **canvas of your interior** with versatile edge profiles, adding dramatic charm and visual impact. Edge profiles with smooth, rounded corners are the perfect choice for countertops, reducing the risk of injuries. With **easy customisation and functional applications**, edge profiles elevate the overall look of spaces.




INFINITE APPLICATIONS IN RESIDENTIAL AND COMMERCIAL LOCATIONS


KITCHEN TOP




BATHROOMS TOP




SHELVES & FURNITURE



STEP & STAIR





TABLES



DESIGNED BEYOND BOUNDARIES: VARMORA'S INTEGRATED STONE FOR EVERY CORNER

Beyond floors and walls, INTEGRATED STONE from Varmora elevates interior design with its nature-inspired elegance, enabling the creation of exquisite elements like tables, countertops, kitchen tops, bathroom tops & shelves & furniture. The unparalleled quality of Varmora's INTEGRATED STONE guarantees exceptional performance and timeless sophistication in every application.






STRENGTH ABOVE ALL

9mm | 12mm | 15mm | 20mm




INTEGRATED STONE is available in a versatile range of sizes and thicknesses to suit various design preferences. **The four sizes** include **160x320 cm, 80x320 cm, 80x260 cm, and 120x180 cm**, ensuring flexibility for creative layouts. Each size is paired with a specific thickness: **9 mm in the 120x180 cm** format. **12 & 20 mm in the 160x320 cm** format. **15 mm in both the 80x320 cm and 80x260 cm** formats. This thoughtful combination of dimensions and thicknesses allows for seamless integration into any design vision.





First Time in Asia

Feeder
Technology





TECHNOLOGICAL EVOLUTION

For the very first time in Asia, VARMORA brings 5-feeder technology in the ceramic industry.

This innovative technology, enables the production of products that can genuinely replace natural marble, stone and granite, as well as engineering product like quartz & corian.

The 5-feeder technology opens new horizons by allowing precise control over material composition & consistent flow of veins.





ICON DEFINITION



EXPLORE THE ENDLESS POSSIBILITIES OF
OUR INTEGRATED STONE TECHNOLOGY WITH
OUR METAVERSE





DISCOVER THE LIMITLESS POTENTIAL OF OUR INTEGRATED
STONE TECHNOLOGY IN AN ENVIRONMENTALLY
FRIENDLY SETTING.






Feeder
Technology
**First Time
In Asia**

INTEGRATED
STONE
TECHNOLOGY

 [CLICK HERE TO WATCH NOW](#) 

WATCH THE TRANSFORMATION WITH
INTEGRATED STONE TECHNOLOGY



INTEGRATED **STONE** TECHNOLOGY

THE JOURNEY OF YOUR STONE BEGINS HERE

INTEGRATED **FLOSTONE**

To Design This Collection we invent new Micronized powder technology which mimics the traditional look of cement with a contemporary twist.

INTEGRATED **ITALIAN STONE**

we've created a product where the veins or patterns seamlessly run through the entire surface, even on the edges. We proudly call this collection Integrated Italian Stone, which serves as a modern alternative to traditional natural stones.

INTEGRATED **FRAGMENTA STONE**


A world-first Collection, featuring flakes up to 20mm in size across 800x2400mm to 1600x3200mm. This collection offers a stunning replacement for terrazzo, quartz, and Corian.

INTEGRATED **DECOSTONE**

This collection reimagines the traditional full-body texture by precisely placing flakes and granules into a distinctive pattern, offering a modern alternative to surfaces like quartz and stone.


INTEGRATED **DIGISTONE**

A revolutionary new product developed through groundbreaking innovations in process and composition. We precisely print dedicated veins, patterns, or chips on selective parts of the surface to achieve a homogeneous body with patterned design.



INTEGRATED STONE TECHNOLOGY

INDEX CHART



INTEGRATED ITALIAN STONE



Statuario
Elegance



Black
Panda




Lapponia
Black

INTEGRATED FLOSTONE

COMING SOON

INTEGRATED DECOSTONE


SAHARA



Monsoon




Twilight




Autumn



Harvest



Strom



Rain




Spring




Snowflake

INTEGRATED FRAGMENTA STONE

GRANITO




Platinum



Silicon



Gold




Steel


TERRAZITE




Iron




Tin



Brass




Nickel




Zink

FLICKER



Jet




Mustard




Natural

INTEGRATED DIGISTONE


FIOCCO




Cedar




Sand




Coast



Shadow




Cielo



Salmon



Fog





**Statuario
Elegance**



**Black
Panda**



**Lapponia
Black**



**INTEGRATED
STONE
TECHNOLOGY**



**INTEGRATED
ITALIAN
STONE**


Inspired by the timeless elegance of natural marble and stone, this collection flawlessly replicates its authentic veins and textures, flowing seamlessly across surfaces and edges. Its versatility allows for all the traditional processes applied to natural marble polishing, cutting, and shaping ensuring a perfect union of practicality and sophistication.



Like Marble &
Stone

INTEGRATED
**ITALIAN
STONE**

Veins And Textures
Flow Seamlessly
Through The Body And Edges.



CLICK HERE TO
WATCH NOW



WATCH THE TRANSFORMATION WITH
INTEGRATED ITALIAN STONE



**STATUARIO
ELEGANCE**




BLACK
PANDA

INTEGRATED
ITALIAN
STONE






**LAPPONIA
BLACK**




EXPLORE IN ENVIRONMENT



STATUARIO ELEGANCE

| SURFACE | 80x260cm | 80x320cm | 120x240cm | 160x320cm | SERIES |
|--------------|----------|----------|-----------|-------------|----------------|
| REFLECTO | 15mm | 15mm | 15mm | 12mm & 15mm | REFLECTO EARTH |
| FEATHER MATT | 15mm | 15mm | 15mm | 12mm & 15mm | FEATHER TOUCH |



REAL PHOTOGRAPHY


Captured in natural light with zoom. Colours may vary in different lighting.

160x
320cm


80x
320cm

120x
240cm

80x
260cm




EXPLORE IN ENVIRONMENT



BLACK PANDA

| SURFACE | 80x260cm | 80x320cm | 120x240cm | 160x320cm | SERIES |
|--------------|----------|----------|-----------|-------------|----------------|
| REFLECTO | 15mm | 15mm | 15mm | 12mm & 15mm | REFLECTO EARTH |
| FEATHER MATT | 15mm | 15mm | 15mm | 12mm & 15mm | FEATHER TOUCH |



160x
320cm

80x
320cm


120x
240cm

80x
260cm




REAL PHOTOGRAPHY

Captured in natural light with zoom. Colours may vary in different lighting.





EXPLORE IN ENVIRONMENT



LAPPONIA BLACK

| SURFACE | 80x260cm | 80x320cm | 120x240cm | 160x320cm | SERIES |
|--------------|----------|----------|-----------|-------------|----------------|
| REFLECTO | 15mm | 15mm | 15mm | 12mm & 15mm | REFLECTO EARTH |
| FEATHER MATT | 15mm | 15mm | 15mm | 12mm & 15mm | FEATHER TOUCH |



REAL PHOTOGRAPHY

Captured in natural light with zoom. Colours may vary in different lighting.

160x
320cm

80x
320cm

120x
240cm

80x
260cm



Monsoon

Twilight

Autumn

Harvest

Strom

Rain

Spring

Snowflake

INTEGRATED
STONE
TECHNOLOGY



INTEGRATED
DECOSTONE

For the very first time, Varmora proudly unveils a pioneering innovation that seamlessly integrates flakes and granules into distinctive patterns, elegantly dispersed across the entire body surface. This revolutionary technology redefines design possibilities, creating surfaces that are not only visually captivating but also inherently unique.

SAHARA

Just as nature's landscapes feature seamless flows and intricate designs, our Sahara Series is inspired by this organic beauty. To elevate this product to a truly world-class standard, we have incorporated unique red and yellow flecks that make a bold and striking visual statement.



INTEGRATED
DECOSTONE



EXPLORE THE INFINITY POSSIBILITY OF
INTEGRATED DECOSTONE.

INTEGRATED
DECOSTONE

**Genuinely
Replace**

**Quartz
Stone**



CLICK HERE TO
WATCH NOW




WATCH THE TRANSFORMATION WITH
INTEGRATED DECOSTONE.



**SAHARA
MOONSOON**

INTEGRATED
DECOSTONE



SAHARA
AUTUMN


INTEGRATED
DECOSTONE



SAHARA
HARVEST

INTEGRATED
DECOSTONE





SAHARA
RAIN


INTEGRATED
DECOSTONE



SAHARA
SNOWFLAKE



INTEGRATED
DECOSTONE





**SAHARA
SPRING**

INTEGRATED
DECOSTONE



**SAHARA
STROM**

INTEGRATED
DECOSTONE




| | |
|------------|----|
| COFFEE | 10 |
| ESPRESSO | 20 |
| MACCHIATO | 15 |
| LATE | 22 |
| MOCHA | 18 |
| FLAT WHITE | 20 |
| TEA | 8 |




**SAHARA
TWILIGHT**

INTEGRATED
DECOSTONE




EXPLORE IN ENVIRONMENT



SAHARA MOONSOON

| SURFACE | 120x180cm | 80x260cm | 80x320cm | 160x320cm | SERIES |
|----------|-----------|----------|----------|-----------|--------------|
| POLISHED | × | 15mm | 15mm | × | SAHARA VENUS |
| MATT | × | × | × | × | |



REAL PHOTOGRAPHY


Captured in natural light with zoom. Colours may vary in different lighting.

80x
320cm


80x
260cm



EXPLORE IN
METAVERSE




EXPLORE IN
ENVIRONMENT



SAHARA TWILIGHT

| SURFACE | 120x180cm | 80x260cm | 80x320cm | 160x320cm | SERIES |
|----------|-----------|----------|----------|-------------|--------------|
| POLISHED | X | 15mm | 15mm | 12mm & 20mm | SAHARA EARTH |
| MATT | X | 15mm | 15mm | 12mm & 20mm | |



REAL
PHOTOGRAPHY

Captured in natural light with zoom. Colours may vary in different lighting.



160x
320cm




80x
320cm




80x
260cm



EXPLORE IN
METAVERSE



EXPLORE IN
ENVIRONMENT




SAHARA AUTUMN

| SURFACE | 120x180cm | 80x260cm | 80x320cm | 160x320cm | SERIES |
|----------|-----------|----------|----------|-----------|--------------|
| POLISHED | × | 15mm | 15mm | × | SAHARA SOLAR |
| MATT | × | × | × | × | |




REAL
PHOTOGRAPHY

Captured in natural light with zoom. Colours may vary in different lighting.




80x
320cm




80x
260cm



EXPLORE IN
METAVERSE



EXPLORE IN
ENVIRONMENT



SAHARA HARVEST

| SURFACE | 120x180cm | 80x260cm | 80x320cm | 160x320cm | SERIES |
|----------|-----------|----------|----------|-------------|--------------|
| POLISHED | × | 15mm | 15mm | 12mm & 20mm | SAHARA LUNAR |
| MATT | × | × | × | 12mm & 20mm | |



REAL
PHOTOGRAPHY

Captured in natural light with zoom. Colours may vary in different lighting.



160x
320cm




80x
320cm




80x
260cm



EXPLORE IN
METAVERSE



EXPLORE IN
ENVIRONMENT




SAHARA STROM

| SURFACE | 120x180cm | 80x260cm | 80x320cm | 160x320cm | SERIES |
|----------|-----------|----------|----------|-----------|--------------|
| POLISHED | × | 15mm | 15mm | × | SAHARA EARTH |
| MATT | × | 15mm | 15mm | × | |



REAL
PHOTOGRAPHY

Captured in natural light with zoom. Colours may vary in different lighting.




80x
320cm




80x
260cm



EXPLORE IN
METAVERSE



EXPLORE IN
ENVIRONMENT



SAHARA RAIN

| SURFACE | 120x180cm | 80x260cm | 80x320cm | 160x320cm | SERIES |
|----------|-----------|----------|----------|-------------|--------------|
| POLISHED | 9mm | 15mm | 15mm | 12mm & 20mm | SAHARA LUNAR |
| MATT | X | 15mm | 15mm | 12mm & 20mm | |



REAL
PHOTOGRAPHY

Captured in natural light with zoom. Colours may vary in different lighting.



160x
320cm



80x
320cm




80x
260cm




120x
180cm



EXPLORE IN
METAVERSE



EXPLORE IN
ENVIRONMENT




SAHARA SPRING

| SURFACE | 120x180cm | 80x260cm | 80x320cm | 160x320cm | SERIES |
|----------|-----------|----------|----------|-----------|--------------|
| POLISHED | 9mm | 15mm | 15mm | × | SAHARA LUNAR |
| MATT | × | 15mm | 15mm | × | |




REAL
PHOTOGRAPHY

Captured in natural light with zoom. Colours may vary in different lighting.



80x
320cm




80x
260cm




120x
180cm



EXPLORE IN
METAVERSE



EXPLORE IN
ENVIRONMENT



SAHARA SNOWFLAKE

| SURFACE | 120x180cm | 80x260cm | 80x320cm | 160x320cm | SERIES |
|----------|-----------|----------|----------|-------------|--------------|
| POLISHED | 9mm | 15mm | 15mm | 12mm & 20mm | SAHARA EARTH |
| MATT | X | 15mm | 15mm | 12mm & 20mm | |




REAL
PHOTOGRAPHY

Captured in natural light with zoom. Colours may vary in different lighting.



160x
320cm



80x
320cm



80x
260cm



120x
180cm



INTEGRATED STONE TECHNOLOGY



INTEGRATED FRAGMENTA STONE

Varmora takes a bold leap forward by introducing its terrazzo-inspired surface collection, Fragmenta Stone. Boasting flakes up to 15mm, this range is available in a diverse array of sizes, from 80x260cm to an impressive 160x320cm. A global-first innovation, this collection invites you to experience the grandeur of large flakes on an unprecedented scale, offering a flawless blend of aesthetic sophistication, expansive dimensions, and enduring durability.

GRANITO

Designed with tightly arranged flakes for a rich and cohesive surface.





INTEGRATED FRAGMENTA STONE




EXPLORE THE INFINITY POSSIBILITY OF
INTEGRATED FRAGMENTA STONE.





 [CLICK HERE TO WATCH NOW](#) 

WATCH THE TRANSFORMATION WITH INTEGRATED FRAGMENTA STONE.



**GRANITO
GOLD**

INTEGRATED
**FRAGMENTA
STONE**



**GRANITO
PLATINUM**

INTEGRATED
**FRAGMENTA
STONE**






**GRANTO
SILICON**



INTEGRATED
**FRAGMENTA
STONE**




**GRANITO
STEEL**

INTEGRATED
**FRAGMENTA
STONE**






EXPLORE IN
METAVERSE




EXPLORE IN
ENVIRONMENT



GRANITO PLATINUM

| SURFACE | 80x260cm | 80x320cm | 160x320cm | SERIES |
|----------|----------|----------|-------------|---------------|
| POLISHED | 15mm | 15mm | 12mm & 20mm | GRANITO LUNAR |
| MATT | 15mm | 15mm | 12mm & 20mm | |



REAL
PHOTOGRAPHY

Captured in natural light with zoom. Colours may vary in different lighting.


160x
320cm

80x
320cm


80x
260cm



EXPLORE IN
METAVERSE




EXPLORE IN
ENVIRONMENT




GRANITO SILICON

| SURFACE | 80x260cm | 80x320cm | 160x320cm | SERIES |
|----------|----------|----------|-------------|---------------|
| POLISHED | 15mm | 15mm | 12mm & 20mm | GRANITO EARTH |
| MATT | 15mm | 15mm | 12mm & 20mm | |




REAL
PHOTOGRAPHY


Captured in natural light with zoom. Colours may vary in different lighting.



160x
320cm




80x
320cm




80x
260cm



EXPLORE IN
METAVERSE



EXPLORE IN
ENVIRONMENT



GRANITO GOLD

| SURFACE | 80x260cm | 80x320cm | 160x320cm | SERIES |
|----------|----------|----------|-----------|---------------|
| POLISHED | 15mm | 15mm | × | GRANITO LUNAR |
| MATT | 15mm | 15mm | × | |



REAL
PHOTOGRAPHY


Captured in natural light with zoom. Colours may vary in different lighting.

80x
320cm


80x
260cm



EXPLORE IN
METAVERSE




EXPLORE IN
ENVIRONMENT



GRANITO STEEL

| SURFACE | 80x260cm | 80x320cm | 160x320cm | SERIES |
|----------|----------|----------|-----------|---------------|
| POLISHED | 15mm | 15mm | × | GRANITO EARTH |
| MATT | 15mm | 15mm | × | |



REAL
PHOTOGRAPHY

Captured in natural light with zoom. Colours may vary in different lighting.

80x
320cm

80x
260cm



Iron

Tin

Brass

Nickel

Zink

INTEGRATED
STONE
TECHNOLOGY



INTEGRATED
FRAGMENTA
STONE


TERRAZITE



Drawing inspiration from Corian's aesthetics,
this series offers a refined and elegant finish.



**TERRAZITE
NICKEL**

INTEGRATED
**FRAGMENTA
STONE**





**TERRAZITE
BRASS**


INTEGRATED
**FRAGMENTA
STONE**



**TERRAZITE
IRON**

INTEGRATED
**FRAGMENTA
STONE**





**TERRAZITE
TIN**

INTEGRATED
**FRAGMENTA
STONE**




**TERRAZITE
ZINK**


INTEGRATED
**FRAGMENTA
STONE**



EXPLORE IN
METAVERSE




EXPLORE IN
ENVIRONMENT



TERRAZITE IRON

| SURFACE | 80x260cm | 80x320cm | 160x320cm | SERIES |
|----------|----------|----------|-------------|-----------------|
| POLISHED | 15mm | 15mm | 12mm & 20mm | TERRAZITE EARTH |
| MATT | 15mm | 15mm | 12mm & 20mm | |



REAL
PHOTOGRAPHY

Captured in natural light with zoom. Colours may vary in different lighting.



160x
320cm




80x
320cm




80x
260cm



EXPLORE IN
METAVERSE



EXPLORE IN
ENVIRONMENT



TERRAZITE TIN

| SURFACE | 80x260cm | 80x320cm | 160x320cm | SERIES |
|----------|----------|----------|-------------|-----------------|
| POLISHED | 15mm | 15mm | 12mm & 20mm | TERRAZITE EARTH |
| MATT | 15mm | 15mm | 12mm & 20mm | |




REAL
PHOTOGRAPHY

Captured in natural light with zoom. Colours may vary in different lighting.



160x
320cm




80x
320cm




80x
260cm



EXPLORE IN
METAVERSE



EXPLORE IN
ENVIRONMENT



TERRAZITE BRASS

| SURFACE | 80x260cm | 80x320cm | 160x320cm | SERIES |
|----------|----------|----------|-----------|-----------------|
| POLISHED | 15mm | 15mm | × | TERRAZITE EARTH |
| MATT | 15mm | 15mm | × | |



REAL
PHOTOGRAPHY


Captured in natural light with zoom. Colours may vary in different lighting.

80x
320cm


80x
260cm



EXPLORE IN
METAVERSE



EXPLORE IN
ENVIRONMENT



TERRAZITE NICKEL

| SURFACE | 80x260cm | 80x320cm | 160x320cm | SERIES |
|----------|----------|----------|-----------|-----------------|
| POLISHED | 15mm | 15mm | × | TERRAZITE LUNAR |
| MATT | 15mm | 15mm | × | |



REAL
PHOTOGRAPHY


Captured in natural light with zoom. Colours may vary in different lighting.

80x
320cm


80x
260cm



EXPLORE IN
METAVERSE




EXPLORE IN
ENVIRONMENT




TERRAZITE ZINK

| SURFACE | 80x260cm | 80x320cm | 160x320cm | SERIES |
|----------|----------|----------|-------------|-----------------|
| POLISHED | 15mm | 15mm | 12mm & 20mm | TERRAZITE LUNAR |
| MATT | 15mm | 15mm | 12mm & 20mm | |



REAL
PHOTOGRAPHY

Captured in natural light with zoom. Colours may vary in different lighting.




160x
320cm



80x
320cm



80x
260cm



INTEGRATED
STONE
TECHNOLOGY



INTEGRATED
FRAGMENTA
STONE


FLICKER

Inspired by traditional terrazzo, this series features multicoloured, multi-sized flakes distributed throughout the body.



**FLICKER
JET**

INTEGRATED
**FRAGMENTA
STONE**






**FLICKER
NATURAL**

INTEGRATED
**FRAGMENTA
STONE**




**FLICKER
MUSTARD**

INTEGRATED
**FRAGMENTA
STONE**






EXPLORE IN
METAVERSE





EXPLORE IN
ENVIRONMENT




FLICKER JET

| SURFACE | 80x260cm | 80x320cm | 160x320cm | SERIES |
|----------|----------|----------|-----------|---------|
| POLISHED | 15mm | 15mm | × | FLICKER |
| MATT | 15mm | 15mm | × | |




REAL
PHOTOGRAPHY

Captured in natural light with zoom. Colours may vary in different lighting.




80x
320cm




80x
260cm



EXPLORE IN
METAVERSE





EXPLORE IN
ENVIRONMENT



FLICKER MUSTARD

| SURFACE | 80x260cm | 80x320cm | 160x320cm | SERIES |
|----------|----------|----------|-----------|---------|
| POLISHED | 15mm | 15mm | × | FLICKER |
| MATT | 15mm | 15mm | × | |



REAL
PHOTOGRAPHY


Captured in natural light with zoom. Colours may vary in different lighting.

80x
320cm


80x
260cm



EXPLORE IN
METAVERSE



EXPLORE IN
ENVIRONMENT



FLICKER NATUREL

| SURFACE | 80x260cm | 80x320cm | 160x320cm | SERIES |
|----------|----------|----------|-------------|---------|
| POLISHED | 15mm | 15mm | 12mm & 20mm | FLICKER |
| MATT | 15mm | 15mm | 12mm & 20mm | |




REAL
PHOTOGRAPHY

Captured in natural light with zoom. Colours may vary in different lighting.



160x
320cm



80x
320cm



80x
260cm



Cedar

Salmon

Sand

Coast

Shadow

Cielo

Fog

INTEGRATED STONE TECHNOLOGY



INTEGRATED DIGISTONE

The epitome of form and function, Integrated DIGISTONE harmoniously combines the unparalleled strength of a homogeneous body with an artistically printed surface. This synergy results in the perfect fusion of durability and refined design, making it an ideal choice for contemporary applications.

FIOCCO

Within this collection, we precisely print veins, patterns, or chips on selected areas directly on the body, not on a glaze, which gives you the perfect fusion of strength with a homogeneous body and stunning artistry over the surface.





INTEGRATED
DIGISTONE



EXPLORE THE INFINITY POSSIBILITY OF
INTEGRATED DIGISTONE.



 [CLICK HERE TO WATCH NOW](#) 

WATCH THE TRANSFORMATION WITH INTEGRATED DIGISTONE.




**FIOCCO
CEDAR**





**FIOCCO
COAST**



INTEGRATED
DIGISTONE





FIOCCO
FOG

INTEGRATED
DIGISTONE



**FIOCCO
SHADOW**


INTEGRATED
DIGISTONE



**FIOCCO
CIELO**

INTEGRATED
DIGISTONE





**FIOCCO
SALMON**

INTEGRATED
DIGISTONE




**FIOCCO
SAND**

INTEGRATED
DIGISTONE






EXPLORE IN
METAVERSE




EXPLORE IN
ENVIRONMENT



FIOCCO CEDAR

| SURFACE | 80x260cm | SERIES |
|---------|----------|------------------|
| MATT | 15mm | DIGI STONE EARTH |




REAL
PHOTOGRAPHY

Captured in natural light with zoom. Colours may vary in different lighting.


80x
260cm



EXPLORE IN
METAVERSE



EXPLORE IN
ENVIRONMENT



FIOCCO SALMON

| SURFACE | 80x260cm | SERIES |
|---------|----------|------------------|
| MATT | 15mm | DIGI STONE LUNAR |




REAL
PHOTOGRAPHY

Captured in natural light with zoom. Colours may vary in different lighting.


80x
260cm



EXPLORE IN
METAVERSE



EXPLORE IN
ENVIRONMENT




FIOCCO SAND

| SURFACE | 80x260cm | SERIES |
|---------|----------|------------------|
| MATT | 15mm | DIGI STONE LUNAR |



REAL
PHOTOGRAPHY


Captured in natural light with zoom. Colours may vary in different lighting.




80x
260cm



EXPLORE IN
METAVERSE



EXPLORE IN
ENVIRONMENT



FIOCCO COAST

| SURFACE | 80x260cm | SERIES |
|---------|----------|------------------|
| MATT | 15mm | DIGI STONE LUNAR |




REAL
PHOTOGRAPHY

Captured in natural light with zoom. Colours may vary in different lighting.


80x
260cm



EXPLORE IN
METAVERSE



EXPLORE IN
ENVIRONMENT



FIOCCO SHADOW

| SURFACE | 80x260cm | SERIES |
|---------|----------|------------------|
| MATT | 15mm | DIGI STONE LUNAR |




REAL
PHOTOGRAPHY

Captured in natural light with zoom. Colours may vary in different lighting.


80x
260cm



EXPLORE IN
METAVERSE



EXPLORE IN
ENVIRONMENT



FIOCCO CIELO

| SURFACE | 80x260cm | SERIES |
|---------|----------|------------------|
| MATT | 15mm | DIGI STONE LUNAR |




REAL
PHOTOGRAPHY

Captured in natural light with zoom. Colours may vary in different lighting.


80x
260cm



EXPLORE IN
METAVERSE



EXPLORE IN
ENVIRONMENT



FIOCCO FOG

| SURFACE | 80x260cm | SERIES |
|---------|----------|------------------|
| MATT | 15mm | DIGI STONE EARTH |



REAL
PHOTOGRAPHY

Captured in natural light with zoom. Colours may vary in different lighting.

80x
260cm



Statuario Elegance



Black Panda



Lapponia Black


**INTEGRATED
STONE
TECHNOLOGY**



**INTEGRATED
ITALIAN
STONE**

Inspired by the timeless elegance of natural marble and stone, this collection flawlessly replicates its authentic veins and textures, flowing seamlessly across surfaces and edges. Its versatility allows for all the traditional processes applied to natural marble polishing, cutting, and shaping ensuring a perfect union of practicality and sophistication.

| SURFACE | 80x260cm | 80x320cm | 120x240cm | 160x320cm | SERIES |
|---------------------|-----------------|-----------------|------------------|------------------------|-----------------------|
| REFLECTO | 15mm | 15mm | 15mm | 12mm & 15mm | REFLECTO EARTH |
| FEATHER MATT | 15mm | 15mm | 15mm | 12mm & 15mm | FEATHER TOUCH |



Monsoon



Twilight



Autumn



Harvest



Strom



Rain



Spring



Snowflake

INTEGRATED STONE TECHNOLOGY



INTEGRATED DECOSTONE

For the very first time, Varmora proudly unveils a pioneering innovation that seamlessly integrates flakes and granules into distinctive patterns, elegantly dispersed across the entire body surface. This revolutionary technology redefines design possibilities, creating surfaces that are not only visually captivating but also inherently unique.

| | SURFACE | 120x180cm | 80x260cm | 80x320cm | 160x320cm | SERIES |
|---------------------|----------|-----------|----------|----------|-------------|--------------|
| SAHARA MONSOON | POLISHED | × | 15mm | 15mm | × | SAHARA VENUS |
| | MATT | × | × | × | × | |
| SAHARA TWILIGHT | POLISHED | × | 15mm | 15mm | 12mm & 20mm | SAHARA EARTH |
| | MATT | × | 15mm | 15mm | 12mm & 20mm | |
| SAHARA AUTUMN | POLISHED | × | 15mm | 15mm | × | SAHARA SOLAR |
| | MATT | × | × | × | × | |
| SAHARA HARVEST | POLISHED | × | 15mm | 15mm | 12mm & 20mm | SAHARA LUNAR |
| | MATT | × | × | × | 12mm & 20mm | |
| SAHARA STROM | POLISHED | × | 15mm | 15mm | × | SAHARA EARTH |
| | MATT | × | 15mm | 15mm | × | |
| SAHARA RAIN | POLISHED | 9mm | 15mm | 15mm | 12mm & 20mm | SAHARA LUNAR |
| | MATT | × | 15mm | 15mm | 12mm & 20mm | |
| SAHARA SPRING | POLISHED | 9mm | 15mm | 15mm | × | SAHARA LUNAR |
| | MATT | × | 15mm | 15mm | × | |
| SAHARA SNOWFLAKE | POLISHED | 9mm | 15mm | 15mm | 12mm & 20mm | SAHARA EARTH |
| | MATT | × | 15mm | 15mm | 12mm & 20mm | |



Iron




Tin



Brass



Nickel



Zink

INTEGRATED STONE TECHNOLOGY



INTEGRATED FRAGMENTA STONE

Varmora takes a bold leap forward by introducing its terrazzo-inspired surface collection, Fragmenta Stone. Boasting flakes up to 15mm, this range is available in a diverse array of sizes, from 80x260cm to an impressive 160x320cm. A global-first innovation, this collection invites you to experience the grandeur of large flakes on an unprecedented scale, offering a flawless blend of aesthetic sophistication, expansive dimensions, and enduring durability.

TERRAZITE SERIES

| | SURFACE | 80x260cm | 80x320cm | 160x320cm | SERIES |
|------------------|----------|----------|----------|-------------|-----------------|
| TERRAZITE IRON | POLISHED | 15mm | 15mm | 12mm & 20mm | TERRAZITE EARTH |
| | MATT | 15mm | 15mm | 12mm & 20mm | |
| TERRAZITE TIN | POLISHED | 15mm | 15mm | 12mm & 20mm | TERRAZITE EARTH |
| | MATT | 15mm | 15mm | 12mm & 20mm | |
| TERRAZITE BRASS | POLISHED | 15mm | 15mm | × | TERRAZITE EARTH |
| | MATT | 15mm | 15mm | × | |
| TERRAZITE NICKEL | POLISHED | 15mm | 15mm | × | TERRAZITE LUNAR |
| | MATT | 15mm | 15mm | × | |
| TERRAZITE ZINK | POLISHED | 15mm | 15mm | 12mm & 20mm | TERRAZITE LUNAR |
| | MATT | 15mm | 15mm | 12mm & 20mm | |



Platinum




Silicon




Gold




Steel



Jet



Mustard



Natural

INTEGRATED STONE TECHNOLOGY

INTEGRATED FRAGMENTA STONE

GRANITO SERIES

| | SURFACE | 80x260cm | 80x320cm | 160x320cm | SERIES |
|------------------|----------|----------|----------|-------------|---------------|
| GRANITO PLATINUM | POLISHED | 15mm | 15mm | 12mm & 20mm | GRANITO LUNAR |
| | MATT | 15mm | 15mm | 12mm & 20mm | |
| GRANITO SILICON | POLISHED | 15mm | 15mm | 12mm & 20mm | GRANITO EARTH |
| | MATT | 15mm | 15mm | 12mm & 20mm | |
| GRANITO GOLD | POLISHED | 15mm | 15mm | × | GRANITO LUNAR |
| | MATT | 15mm | 15mm | × | |
| GRANITO STEEL | POLISHED | 15mm | 15mm | × | GRANITO EARTH |
| | MATT | 15mm | 15mm | × | |

FLICKER SERIES

| | SURFACE | 80x260cm | 80x320cm | 160x320cm | SERIES |
|-----------------|----------|----------|----------|-------------|---------|
| FLICKER JET | POLISHED | 15mm | 15mm | × | FLICKER |
| | MATT | 15mm | 15mm | × | |
| FLICKER MUSTARD | POLISHED | 15mm | 15mm | × | FLICKER |
| | MATT | 15mm | 15mm | × | |
| FLICKER NATUREL | POLISHED | 15mm | 15mm | 12mm & 20mm | FLICKER |
| | MATT | 15mm | 15mm | 12mm & 20mm | |



Cedar



Salmon



Sand



Coast



Shadow



Cielo



Fog

INTEGRATED STONE TECHNOLOGY



INTEGRATED DIGISTONE

The epitome of form and function, Integrated Digistone harmoniously combines the unparalleled strength of a homogeneous body with an artistically printed surface. This synergy results in the perfect fusion of durability and refined design, making it an ideal choice for contemporary applications.

| | SURFACE | 80x260cm | SERIES |
|----------------------|---------|----------|------------------|
| FIOCCO CEDAR | MATT | 15mm | DIGI STONE EARTH |
| FIACCO SALMON | MATT | 15mm | DIGI STONE LUNAR |
| FIOCCO SAND | MATT | 15mm | DIGI STONE LUNAR |
| FIOCCO COAST | MATT | 15mm | DIGI STONE LUNAR |
| FIOCCO SHADOW | MATT | 15mm | DIGI STONE LUNAR |
| FIOCCO CIELO | MATT | 15mm | DIGI STONE LUNAR |
| FIOCCO FOG | MATT | 15mm | DIGI STONE EARTH |



TECHNICAL SPECIFICATION

**INTEGRATED
STONE
TECHNOLOGY**

| SR. NO. | CHARACTERISTIC | TEST METHOD | IS 15622:2017 (GROUP B 1a) | VARMORA VALUE |
|--|---|-----------------|---|---|
| A DIMENSION & SURFACE QUALITY | | | | |
| 1. | Deviation in Length & Width | IS - 13630 - 1 | ± 0.10% | ± 0.10% |
| 2. | Deviation in Thickness | IS - 13630 - 1 | ± 5.00% | ± 3.50% |
| 3. | Straightness of sides | IS - 13630 - 1 | ± 0.10% | ± 0.10% |
| 4. | Rectangularity | IS - 13630 - 1 | ± 0.10% | ± 0.10% |
| 5. | Surface Flatness | IS - 13630 - 1 | ± 0.50% | ± 0.20% |
| 6. | Surface Quality | IS - 13630 - 1 | Minimum 95% of tiles shall be free from visible defects | 95% |
| B. PHYSICAL PROPERTIES | | | | |
| 1. | Water Absorption | IS - 13630 - 2 | ≤0.08%,Avg. | 0.06%,Avg. |
| 2. | Modulus of Rupture(N/mm ²) | IS - 13630 - 2 | Avg. 35 N/mm ² | Avg. 40 N/mm ² |
| 3. | Breaking Strength (N) | IS - 13630 - 6 | Thickness ≥ 7.5 mm = 1300 N | Thickness ≥ 7.5 mm = 1700 N |
| 4. | Moisture Expansion (mm/m) | IS - 13630 - 3 | 0.02 Max. | 0.01 Max. |
| 5. | Scratch Hardness (Moh's Scale) | IS - 13630 - 13 | 5, Min. | 5, Min* |
| 6. | Resistance to Surface Abrasion (Glazed tiles) | IS - 13630 - 11 | Class III, Min. | Class IV |
| 7. | Co-efficient of linear thermal expansion | IS - 13630 - 4 | 6x10 ⁻⁶ , Max | 6x10 ⁻⁶ , Max |
| 8. | Thermal Shock Resistance | IS - 13630 - 5 | 10 Cycles, Min | 10 Cycles, Pass |
| 9. | Crazing Resistance | IS - 13630 - 9 | 4 Cycles at 7.5 Bar, Min | 4 Cycles, Pass |
| 10. | Impact Resistance-Coefficient of Restitution | IS - 13630 - 14 | 0.55, Min | 0.55, Min |
| 11. | Coefficient of Friction | IS - 13630 - 13 | Manufacturer Norms | Manufacturer Norms |
| 12. | Frost Resistance | IS - 13630 - 10 | Manufacturer Norms | No Damage |
| 13. | Resistance to Deep Abrasion for Unglazed Tiles (mm ³) | IS - 13630 - 12 | 140, Max | 140, Max |
| 14. | Bulk Density (g/cc) | IS - 13630 - 2 | 2.2, Min | 2.3, Min |
| B. CHEMICAL PROPERTIES | | | | |
| 1. | Resistance to Staining | IS - 13630 - 8 | Glaze - Class 1, Min Unglaze - Class 2, Min | Glaze 2 - Class 1, Min Unglaze 2 - Class 2, Min |
| 2. | Resistance to Household Chemicals | IS - 13630 - 8 | Class AA | Class AA |
| 3. | Resistance to Acids & Alkalis | IS - 13630 - 8 | Glaze & Unglaze - Required if indicated specifically | Resistance |

VARMORA Values given above are own valued, Which we try to maintain, how ever test results may differ up to the limit prescribed under IS 15622 :2017 (GROUP B1a) * Minimum 5 On matt tiles.
Note: Colour shown are as accurate as the limitations of the printing process will allow. Prospective customers are advised to inspect a sample of the tile before ordering. Our effort has been made to ensure the accuracy of the information given. However, the company reserve the right to change the specifications without prior notice. Sometime variations in shade or size being inherent to ceramic industry may occur. Before fixing, we advise you to follow the fixing instructions on the cartons (box) of the tiles. No responsibility will be accepted by the company once the tiles have been fixed.

| TECHNICAL FEATURE/ PARAMETER | INTEGRATED STONE TECHNOLOGY | MARBLE | GRANITE | QUARTZ |
|------------------------------------|--|---|---|--|
| Surface Hardness (Mohs Scale) | 6-7; Highly resistant to scratches | 3-4; Scratches easily | 6-7; Scratch-resistant | 6-7; Surface protected by resins |
| Porosity | Non-porous (<0.1% water absorption) | Highly porous ; absorbs liquids | Low porosity (<0.5%), but may vary | <0.1%; Non-porous due to resin |
| Thermal Resistance | Withstands temperatures up to 1200°C | Sensitive to heat; thermal shock can cause cracks | Withstands high temperatures (~650°C) | Moderate; thermal resistance limited by resins |
| UV Stability | Excellent UV resistance; colorfast in outdoor applications | Fades and yellows under UV exposure | UV-resistant | Limited; resins degrade under UV |
| Flexural Strength (MPa) | High (30-50 MPa); resists bending or warping | Low (7-10 MPa); prone to cracking | Moderate (15-20 MPa) | High (25-40 MPa) |
| Chemical Resistance | Excellent | Poor | Good | Excellent |
| Impact Resistance | High | Low | High | High |
| Weight(Kg/m ²) | 18-25 | 27-35 | 30-40 | 25-30 |
| Dimensional Stability (mm/m) | High; minimal thermal expansion or contraction | Low; expands and contracts with temperature | Moderate; better than marble | High; Resins stabilize material |
| Hygienic Properties | Anti-bacterial and hygienic due to non-porous surface | Absorbs liquids; prone to bacterial growth | Low absorption; less prone to bacteria | Non-porous; hygienic |
| Density (g/cm ³) | 2.4-2.6; Highly Uniform | 2.5-2.7; Variable by Source | 2.6-2.8 | ~2.4-2.6 |
| Thermal Expansion (ppm/°C) | 6-8; Highly stable under thermal stress | 10-20; Significant expansion | 8-10; Moderate expansion | 30-50; Resins reduce stability |
| Thermal Conductivity (W/m K) | 1.5-2; Good thermal stability | ~2.2; sensitive to thermal shock | 3.0; High thermal conductivity | ~2.0; Resin layers may insulate |
| Water Absorption (%) | <0.1%; Hydrophobic surface | ~0.5-2%; Requires sealing | 0.2-0.5%; Low absorption | <0.1%; Non-porous due to resin |
| Surface Energy (mN/m) | ~45; High surface energy for cleanability | ~35; Moderate, attracts contaminants | ~40; Relatively cleanable | ~30; Resin coatings lower surface energy |
| Fire Rating | A1 (Non-combustible) | A2; Slightly combustible | A1; Non-combustible | B; Resins are flammable |

● Excellent ● Good ● Average ● Poor

INTEGRATED
STONE
TECHNOLOGY

WORLD'S MOST INNOVATIVE SURFACE & BODY TECHNOLOGY

WHICH REPLACE
THE NATURAL & ENGINEERING SURFACE
WITH ITS
ADVANCE TECHNICAL CHARACTERISTICS

IST Process: The IST process creates a material with near-zero porosity, extreme hardness, and high thermal stability, making it vastly superior for environments with high wear, moisture, or thermal variations.

Thermal and UV Performance: Integrated Stone Technology (IST)'s low thermal expansion and excellent UV resistance outperform most natural and engineered stones, making it ideal for outdoor and high-temperature applications.

Mechanical Strength: High flexural and impact strength ensures its suitability for load-bearing and high-traffic applications, where natural stones are prone to cracks or deformation.

Chemical and Hygienic Properties: Resistance to pH extremes and its non-porous surface prevent chemical damage and microbial growth, critical for laboratory or food-safe environments.

VARMORA

TILES • BATHWARE

HEAD OFFICE & WORK

8/A National Highway, At. Dhuva, Tal. Wankaner,
Morbi-363621, Gujarat, India

Tiles Contact:

Mob.: +91 98252 23068

E-mail: marketing@varmora.com

Bathware Contact:

Mob.: +91 90999 13129

E-mail: marketing@varmorasanitaryware.com

Mob.: +91 99139 23095

E-mail: customercare.faucets@varmora.com

Mob.: +91 90990 01734

E-mail: customercare.bathware@varmora.com

Mob.: +91 90990 01734

E-mail: customercare.sink@varmora.com

CORPORATE OFFICE

VARMORA GRANITO PVT. LTD.,
1004/5/6 South Tower, One42,
Off Bopal-Ambli Road
Ahmedabad-380054

Tiles Customer Care:

1800 212 0053

Bathware Customer Care

1800 212 4525

Follow us:



www.varmora.com